

WasteTech 200

INFORMATION

WasteTech 200 All-in-one Units are designed to capture, convey, cut and collect edge trim waste from up to 8 process machines. Configuration of Granulator(s) is customised to the material and number of process machines and disposal can be in a sack, TubeBag, bigbag or compactor.

Maximum air capacity	3.000 m ³ / hour (1,770 CFM)
Maximum pipe size	Dia. 200 mm (8") transfer
Maximum suction distance	Up to 30 m (100 feet)
Size (LxWxH)	2.535x1.300x3.290 mm (8'-4" x 4'-3" x 10'-10")
Weight	495 kg (1,090 lbs)
Motor ventilator	7,5 kW (10 HP)
Power	3 Phase, 230-460V, 50-60 Hz
Sound	68-72 dB (A)
Colour	RAL5010



No. of machines	1	2	3	4	5	6	7	8
Max. speed	1.200 m/min (3,940 FPM)	1.000 m/min (3,280 FPM)	900 m/min (2,950 FPM)	800 m/min (2,620 FPM)	600 m/min (1,970 FPM)	400 m/min (1,310 FPM)	300 m/min (980 FPM)	250 m/min (820 FPM)
Edge trims	2	4	6	8	10	12	14	16
Max. width	50 mm (2")	50 mm (2")	50 mm (2")	50 mm (2")	50 mm (2")	50 mm (2")	30 mm (1.2")	30 mm (1.2")